



WELLHEAD CHOKE EQUIPMENT

ASSEMBLY DESCRIPTION

Wellhead Chokes are commonly used for production manifolds, wellheads, heaters, critical services, well testing, and well cleanup. B & T also offers accessories for this equipment, including OCT Indicators, Thornhill Craver Indicators, as well as O-Ring and packing sets.





WELLHEAD CHOKE EQUIPMENT

SPECIFICATIONS	
Part Number	Description
1" Gulfco	Gulfco Craver Indicator
1" MSI	1" MSI Indicator
1" National	National Indicator
1" OCT	OCT Choke Indicator
1" OCT Aluminum	OCT Choke Indicator Aluminum
1" Thornhill Craver	Thornhill Craver Indicator
1/2" OCT	OCT Choke Indicator
1/2" OCT Aluminum	OCT Choke Indicator Aluminum
1/2" Thornhill Craver	Thornhill Craver Indicator
2" X 1" CIW	CIW Choke Indicator
2" X 1" CIW Aluminum	CIW Choke Indicator Aluminum
2" X 3/4" CIW	CIW Choke Indicator
3" X 1" CIW	CIW Choke Indicator
3" X 1" CIW Aluminum	CIW Choke Indicator Aluminum
3" X 2" CIW	CIW Choke Indicator
3" X 2" CIW Aluminum	CIW Choke Indicator Aluminum
3/4" Gray	Gray Choke Indicator
3/4" Gray Aluminum	Gray Choke Indicator Aluminum
3/4" Gulfco	Gulfco Craver Indicator
3/4" MSI	MSI Choke Indicator
3/4" MSI Aluminum	MSI Indicator
3/4" OCT	OCT Choke Indicator
3/4" OCT Aluminum	OCT Choke Indicator Aluminum
3/4" TC 15K Unitaper Indicator	Indicator for TC 3/4" 15K
3/4" Thornhill Craver	Thornhill Craver Indicator
3/4" Thornhill Craver Aluminum	Thornhill Craver Indicator Aluminum

All Specification Tables contain approximated dimensions and should be used for reference only.



WELLHEAD CHOKE EQUIPMENT

SPECIFICATIONS	
Seat Gaskets	
Description	Stainless Steel Option
2" CIW Copper	Yes
3" CIW Copper	Yes
Fisher 667 D	No

SPECIFICATIONS	
Packing Sets	
Part Number	Weight Capacity (Pounds)
OCT-JW-A 10000#	10000
OCT-JW-A 15000#	15000
OCT-N60	
TC-896	
MSI	
OCT-JNA	

SPECIFICATIONS	
Retainer Ring	
Part Number	Stainless Steel Assembly
RR-137	
RR-168	RR-168 SS
RR-175	
RR-181	RR-181 SS
WH-575-S02	
WH-187-S02	
HO-200 SS	HO-200 SS
WHM-0137-S02	WHM-0137-S02SS
WHM-175S02	
WHM-200	

All Specification Tables contain approximated dimensions and should be used for reference only.